

Revision Date 19-Aug-2020

SAFETY DATA SHEET

Version 8

1. IDENTIFICATION

Product identifier Product Name

35V PRUSSIAN BLUE .75OZ

Other means of identification Product Code

Recommended use of the chemical and restrictions on useRecommended UsePigmented compoundUses advised againstNo information available

80038

Details of the supplier of the safety data sheet Manufacturer Address ITW Permatex 6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex (866) 732-9502 24-hour emergency phone number Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003453

E-mail address: mail@permatex.com

May Also Be Distributed by: ITW Permatex Canada 101-2360 Bristol Circle Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity

Category 1B

Label elements

Emergency Overview

 Signal word

 Danger

 May cause cancer

Appearance Blue

Physical state Liquid

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
PETROLATUM	8009-03-8	60 - 100
FERRIC FERROCYANIDE	14038-43-8	1 - 5

4. FIRST AID MEASURES

Description of first aid measures

General advice	If symptoms persist, call a physician.
Eye contact	IF IN EYES:. Wash with plenty of water. If symptoms persist, call a physician. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing.
Skin contact	IF ON SKIN:. Wash with soap and water. If skin irritation persists, call a physician. Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	IF INHALED. Remove to fresh air. If symptoms persist, call a physician. Immediate medical attention is not required. Move to fresh air in case of accidental inhalation of vapors or decomposition products.
Ingestion	IF SWALLOWED:. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician.
Self-protection of the first aider	Use personal protective equipment as required.

Odor Mild

Most important symptoms and effects, both acute and delayed				
Symptoms	See section 2 for more information.			
Indication of any immediate medical attention and special treatment needed				
Note to physicians	Treat symptomatically.			
	5. FIRE-FIGHTING MEASURES			
Suitable extinguishing media Use, Use dry chemical, Carbon dioxide	e (CO2), Water spray (fog), Alcohol resistant foam			
Unsuitable extinguishing media None				
Specific hazards arising from the ch Keep product and empty container aw	nemical ay from heat and sources of ignition. Risk of ignition.			
<u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None. None.			
<u>Protective equipment and precaution</u> As in any fire, wear self-contained breat protective gear.	ons for firefighters athing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions, protective equipment and emergency procedures				
Personal precautions	Avoid contact with eyes and skin. Wash thoroughly after handling. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. Use personal protective equipment as required.			
Environmental precautions				
Environmental precautions	See section 12 for additional ecological information. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.			
Methods and material for containme	ent and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.			
Methods for cleaning up	Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges.			
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.			
· · · · · · · · · · · · · · · · · · ·				
	7. HANDLING AND STORAGE			

Advice on safe handling Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Use with local exhaust ventilation. All equipment used when handling the product must be grounded. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge

Evaporation rate

Vapor pressure

Relative density

Vapor density

Flammability (solid, gas) Flammability Limit in Air

Upper flammability limit: Lower flammability limit:

	(which might cause ignition of organic vapors).				
Conditions for safe storage, inc	cluding any incompatibilities				
Storage Conditions		Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.			
Incompatible materials	Strong oxidizing agents, A	cids, Alkalis			
8.	EXPOSURE CONTROLS	/PERSONAL PROTECTIO	Ν		
Control parameters					
Exposure Guidelines					
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH		
FERRIC FERROCYANIDE 14038-43-8	TWA: 1 mg/m ³ Fe	TWA: 5 mg/m ³ CN (vacated) TWA: 1 mg/m ³ Fe (vacated) TWA: 5 mg/m ³ S* as CN	IDLH: 25 mg/m ³ CN TWA: 1 mg/m ³ Fe		
NIOSH IDLH Immediately Dange	erous to Life or Health				
Other Information		the Court of Appeals decision in .	AFL-CIO v. OSHA, 965 F.2d 962		
Appropriate engineering contro	<u>bls</u>				
Engineering Controls	Eyewash stations				
Individual protection measures	s, such as personal protective	equipment			
Eye/face protection	Wear safety glasses with s	side shields (or goggles).			
Skin and body protection	Wear protective natural ru	bber, nitrile rubber, Neoprene™ o	or PVC gloves.		
Respiratory protection	experienced a NIOSH app	No protection equipment is needed under normal use conditions. If respiratory irritation is experienced a NIOSH approved air-purifying respirator with organic vapor cartridges or canisters may be required.			
General Hygiene Consideration	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.				
	9. PHYSICAL AND CH	EMICAL PROPERTIES			
9.1. Information on basic physi					
Physical state	Liquid				
Appearance	Blue				
Odor	Mild				
Odor threshold	No information available				
Property	Values	Remarks • Method	<u>d</u>		
pH Melting point / freezing point	No information available No information available				
Boiling point / boiling range	> 149 °C / > 300 °F				
Flash point	> 95 °C / > 203 °F	Tag Closed Cup			

< 1

>1

No information available

No information available No information available

<0.01 mm Hg

0.82-0.88

Tag Closed Cup Butyl acetate = 1

Air = 1

Water solubility Solubility(ies) Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties

Other Information Softening point Molecular weight VOC content Density Bulk density SADT (self-accelerating decomposition temperature) Insoluble No information available No information available

No information available No information available 0% No information available No information available No information available

10. STABILITY AND REACTIVITY

Reactivity

No information available

Chemical stability

Stable under normal conditions

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents, Acids, Alkalis

Hazardous Decomposition Products

Carbon oxides Ammonia

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye contact	May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis.
Ingestion	Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
PETROLATUM 8009-03-8	-	= 3600 mg/kg(Rabbit)	-
FERRIC FERROCYANIDE 14038-43-8	> 1 g/kg (Rat)	-	-

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.
ACGIH (American Conference	of Governmental Industrial Hygienists)
A2 - Suspected Human Carcino	gen
IARC (International Agency fo	r Research on Cancer)
Group 1 - Carcinogenic to Huma	ans
NTP (National Toxicology Pro	gram)
Known - Known Carcinogen	
· · · · · · · · · · · · · · · · · · ·	nd Health Administration of the US Department of Labor)
X - Present	
Chronic toxicity	May cause adverse liver effects.
Target Organ Effects	Eyes, Gastrointestinal tract (GI), Liver, Respiratory system, Skin.
The following values are calcu	lated based on chapter 3.1 of the GHS document
ATEmix (oral)	12531 mg/kg
ATEmix (dermal)	13356 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

0.0079 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

IATA

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

14. TRANSPORT INFORMATION

DOT	
Proper shipping name	Not regulated

Proper shipping name Not regulated

IMDG

```
Proper shipping name
```

Not regulated

International Inventories		
TSCA	Complies	
DSL/NDSL	Complies	
EINECS/ELINCS	Complies	
ENCS	Does not comply	
IECSC	Complies	
KECL	Complies	
PICCS	Complies	
AICS	Complies	

Legend: TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
FERRIC FERROCYANIDE - 14038-43-8	1.0	
SARA 311/312 Hazard Categories		
Acute health hazard	No	
Chronic Health Hazard	No	
Fire hazard	No	
Sudden release of pressure hazard	No	
Reactive Hazard	No	

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
FERRIC FERROCYANIDE 14038-43-8	-	Х	Х	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals U.S. State Right-to-Know Regulations

Chemic	al Name	New Jersey	Massachusetts	Pennsylvania
FERRIC FER	ROCYANIDE	Х	-	Х
1403	8-43-8			

protection B

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

WHMIS Hazard Class

D2A - Very toxic materials

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 1	Flammability 1	Instability 0	-
HMIS	Health hazards 1	Flammability 1	Physical hazards 0	Personal

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date

19-Aug-2020

Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

End of Safety Data Sheet